(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 15 March 2001 (15.03.2001)

PCT

(10) International Publication Number WO 01/17964 A1

(51) International Patent Classification7: C07D 211/00

_ -

MT000000

(21) International Application Number:

PCT/EP00/08566

(22) International Filing Date:

1 September 2000 (01.09.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 1607/99

3 September 1999 (03.09.1999) CH


- (71) Applicant (for all designated States except US): SYN-GENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): TRAH, Stephan

[DE/DE]; Andreas Hofer-Strasse 150a, 79111 Freiburg im Breisgau (DE).

- (74) Agent: WERNER, Bastian; Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: TETRAHYDROPYRIDINES AS PESTICIDES



(1)

(57) Abstract: Compounds of formula (I) are described, wherein R_1 and R_2 are for example, independently of each other, halogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl, halogen- C_1 - C_6 -alkyl, halogen- C_3 - C_6 -cycloalkyl, C_2 - C_4 -alkenyl, C_2 - C_4 -alkinyl, halogen- C_2 - C_4 -alkenyl and halogen- C_2 - C_4 -alkinyl; R_3 is hydrogen, OH, halogen, C_1 - C_6 -alkoxy, or -O- C_1 - C_6 -alkyl; R_4 is for example phenyl, benzyl, phenoxy or benzyloxy, which is substituted by substituents selected from the group consisting of halogen, cyano, NO_2 , C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkoxy, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkyl, halogen- C_2 - C_4 -alkinyl, halogen- C_2 - C_6 -alkyl, halogen- C_2 - C_6

WO 01/17964 A1



Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

- 1 -

TETRAHYDROPYRIDINES AS PESTICIDES

The object of the present invention is a compound of formula

wherein

⋅R₁ and R₂, independently of one another, are halogen, C₁-C₀-alkyl, C₃-C₀-cycloalkyl, halogen-C₁-C₆-alkyl, halogen-C₃-C₆-cycloalkyl, C₂-C₄-alkenyl, C₂-C₄-alkinyl, halogen-C₂-C₄-alkenyl, halogen-C2-C4-alkinyl, C1-C6-alkoxy, halogen-C1-C6-alkoxy, C2-C6-alkenyloxy, C_2 - C_6 -alkinyloxy, halogen- C_2 - C_6 -alkenyloxy, halogen- C_2 - C_6 -alkinyloxy, -SF₅, -C(=O)N(R₅)₂, -O-C(=O)N(R₅)₂, -CN, -NO₂, -S(=O)₂N(R₅)₂, -S(=O)₀-C₁-C₆-alkyl, -S(=O)₀-halogen-C₁-C₆alkyl, -O-S(=O)_p-C₁-C₆-alkyl, -O-S(=O)_p-halogen-C₁-C₆-alkyl, phenyl, benzyl, phenoxy or benzyloxy, wherein each of the phenyl, benzyl, phenoxy or benzyloxy radicals is either unsubstituted or mono- to penta-substituted in the aromatic ring, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO₂, C₁-C₆-alkyl, halogen-C₁-C₆-alkyl, C₁-C₆-alkoxy and halogen-C₁-C₆-alkoxy;

 R_3 is hydrogen, OH, halogen, C_1 - C_6 -alkoxy, or -O-C(=O)- C_1 - C_6 -alkyl;

R₄ is C₁-C₆-alkyl, halogen-C₁-C₆-alkyl, C₃-C₆-cycloalkyl, halogen-C₃-C₆-cycloalkyl, C₃-C₆cycloalkoxy, halogen-C₁-C₆-alkoxy, C₂-C₄-alkenyl, C₂-C₄-alkinyl, halogen-C₂-C₄-alkenyl, halogen-C₂-C₄-alkinyl, C₁-C₆-alkoxy, halogen-C₁-C₆-alkoxy, C₂-C₆-alkenyloxy, C₂-C₆alkinyloxy, halogen-C₂-C₆-alkenyloxy, halogen-C₂-C₆-alkinyloxy, -C(=O)-C₃-C₆-alkyl, -C(=O)-halogen- C_1 - C_6 -alkyl, -C(=O)-OC $_1$ - C_6 -alkyl, -C(=O)-O-halogen- C_1 - C_6 -alkyl, $-NR_8-C(=O)-O-C_1-C_8-alky!$, $-NR_8-C(=O)-O-halogen-C_1-C_8-alky!$, $-C(=O)N(R_5)_2$, $-O-C(=O)N(R_5)_2$, -CN, $-NO_2$, $-S(=O)_2N(R_5)_2$, $-S(=O)_0-C_1-C_6-alkyl$, $-S(=O)_0-halogen-C_1-C_6-alkyl$ alkyl, $-O-S(=O)_p-C_1-C_6-alkyl$, $-O-S(=O)_p-halogen-C_1-C_6-alkyl$; benzyl, phenoxy, benzyloxy; or phenyl, benzyl, phenoxy or benzyloxy which is mono- to penta-substituted, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO₂, C₁-C₆-alkyl, C₃-C₈-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl, halogen-C₁-C₈-alkyl, C₁-C₆-alkoxy, C₃-C₈-cycloalkoxy, C₃-C₈-cycloalkoxy-C₁-C₆-alkyl,

 $C_3\text{-}C_8\text{-}\text{cycloalkyl-}C_1\text{-}C_6\text{-}\text{alkoxy}, \text{ halogen-}C_1\text{-}C_6\text{-}\text{alkoxy}, C_2\text{-}C_4\text{-}\text{alkenyl}, C_2\text{-}C_4\text{-}\text{alkinyl}, \text{ halogen-}C_2\text{-}C_4\text{-}\text{alkinyl}, C_2\text{-}C_6\text{-}\text{alkenyloxy}, C_2\text{-}C_6\text{-}\text{alkinyloxy}, \text{ halogen-}C_2\text{-}C_6\text{-}\text{alkinyloxy}, -NR_6\text{-}C(=O)\text{-}O\text{-}C_1\text{-}C_6\text{-}\text{alkyl}, -C(R_7)\text{=}N\text{-}W\text{-}R_8, \text{ phenyl}, -NR_6\text{-}C(=O)\text{-}O\text{-}\text{halogen-}C_1\text{-}C_6\text{-}\text{alkyl}, -C(R_7)\text{=}N\text{-}W\text{-}R_8, \text{ phenyl}, \text{ benzyl}, \text{ phenoxy}, \text{ benzyloxy}, \text{ heterocyclyl} \text{ and heterocyclyloxy}, \text{ wherein, depending on the substitution possibility on the ring, the heterocyclyl and heterocyclyloxy radicals are optionally mono- to trisubstituted by substituents selected from the group consisting of halogen, <math>C_1\text{-}C_6\text{-}\text{alkyl}, \text{ halogen-}C_1\text{-}C_6\text{-}\text{alkyl}, \text{ C}_1\text{-}C_6\text{-}\text{alkoxy}, \text{ halogen-}C_1\text{-}C_6\text{-}\text{alkoxy}, \text{ C}_3\text{-}C_6\text{-}\text{cyclo-}\text{alkyl-}C_1\text{-}C_6\text{-}\text{alkyl}, \text{ cyano-}C_1\text{-}C_6\text{-}\text{alkyl}, \text{ C}_3\text{-}C_6\text{-}\text{alkenyl}, \text{ C}_3\text{-}C_6\text{-}\text{alkinyl}, \text{ phenyl} \text{ or benzyl};}$

the two R_5 independently of one another, are hydrogen or $C_1\text{-}C_8\text{-alkyl}$;

R₆ is hydrogen, C₁-C₆-alkyl or benzyl;

 R_7 is halogen, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkoxy, C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl) or -N(C_1 - C_6 -alkyl)₂;

 R_8 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl;

m is 0, 1, 2, 3, 4 or 5;

n is 0, 1, 2, 3, 4 or 5;

p is 0, 1 or 2;

q is 0 or 1

W is O or NH or N-C₁-C₆-alkyl;

and, if appropriate, the E/Z isomers, E/Z isomeric mixtures and/or tautomers thereof, each in free form or in salt form;

a method of producing and the use of these compounds, pesticides whose active ingredient is selected from these compounds or from an agrochemically employable salt thereof, a method of producing and the use of these compositions, plant propagating material that has been treated with these compositions and a method of controlling pests.

In the literature, certain piperidine derivatives have been proposed as active ingredients in pesticides. The biological properties of these known compounds, however, are not fully satisfactory in the field of pest control, which is why there is a need to produce further compounds with pesticidal properties, especially for the control of insects and members of

the order *Acarina*; this problem is solved according to the invention with the development of the present compounds of formula (I).

The compounds of formula (I) and where appropriate their tautomers can form salts, for example acid addition salts. These are formed for example with strong inorganic acids, typically mineral acids, e.g. sulphuric acid, a phosphoric acid or a hydrohalic acid, or with strong organic carboxylic acids, typically C1-C4alkanecarboxylic acids substituted where appropriate for example by halogen, e.g. acetic acid, such as optionally unsaturated dicarboxylic acids, e.g. oxalic, malonic, maleic, fumaric or phthalic acid, such as hydroxycarboxylic acids, e.g. ascorbic, lactic, malic, tartaric or citric acid, or benzoic acid, or with organic sulphonic acids, typically C₁-C₄alkane or arylsulphonic acids substituted where appropriate for example by halogen, e.g. methane- or p-toluene-sulphonic acid. In a broader sense, compounds of formula (I) with at least one acid group can form salts with bases. Suitable salts with bases are for example metal salts, such as alkali or alkaline earth metal salts, e.g. sodium, potassium or magnesium salts, or salts with ammonia or an organic amine, such as morpholine, piperidine, pyrrolidine, a mono-, di- or tri-lower alkylamine, e.g. ethyl, diethyl, triethyl or dimethylpropylamine, or a mono-, di- or trihydroxy-lower alkylamine, e.g. mono-, di- or triethanolamine. Corresponding internal salts where appropriate may also be formed. The free form is preferred on the one hand. Of the salts of compounds of formula (I), the agrochemically beneficial salts are preferred. Hereinbefore and hereinafter, the free compounds of formula (I) or their salts are understood where appropriate to include also the corresponding salts, or the salts are understood to include also the free compounds of formula (I). The same applies to tautomers of compounds of formula (I) and salts thereof.

Unless otherwise defined, the general terms used hereinabove and hereinbelow have the meanings given hereinbelow.

Halogen - as a group *per se* or as structural element of other groups and compounds such as haloalkyl, halocycloalkyl, haloalkenyl, haloalkinyl and haloalkoxy - is fluorine, chlorine, bromine or iodine, in particular fluorine, chlorine or bromine, mainly fluorine or chlorine, especially chlorine.

If not otherwise defined, carbon-containing groups and compounds each contain 1 to 20, inclusively, preferably 1 to 18, in particular 1 to 10, especially 1 to 6, in particular 1 to 4, especially 1 to 3, particularly 1 or 2, carbon atoms, with methyl being preferred in particular.

Alkyl - as a group *per se* and as structural element of other groups and compounds such as haloalkyl, alkoxy, alkoxyalkyl, haloalkoxy, alkoxycarbonyl, alkylthio, haloalkylthio, alkylsul-

phonyl and alkylsulphonyloxy - is, in each case with due consideration of the specific number of carbon atoms in the group or compound in question, either straight-chained, e.g. methyl, ethyl, n-propyl, n-butyl, n-octyl, n-decyl, n-dodecyl, n-hexadecyl or n-octadecyl, or branched, for example isopropyl, isobutyl, sec-butyl, tert-butyl, isopentyl, neopentyl or isohexyl.

Alkenyl and alkinyl - as groups *per se* and as structural elements of other groups and compounds, such as of haloalkenyl, haloalkinyl, alkenyloxy, haloalkenyloxy, alkinyloxy or haloalkinyloxy - are straight-chained or branched and respectively contain two or preferably one unsaturated carbon-carbon bond(s). Vinyl, prop-2-en-1-yl, 2-methylprop-2-en-1-yl, but-2-en-1-yl, but-3-en-1-yl, prop-2-in-1-yl, but-2-in-1-yl and but-3-in-1-yl may be mentioned by way of example.

Cycloalkyl - as a group *per se* and as a structural element of other groups and compounds, for example of alkyl - is cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclohexyl, cyclohexyl and cyclopentyl and cyclopentyl and cyclopentyl are preferred, in particular cyclopropyl.

Halogen-substituted carbon-containing groups and compounds, such as haloalkyl and haloalkoxy, can be partially halogenated or perhalogenated, in the case of polyhalogenation it being possible for the halogen substituents to be identical or different. Examples of haloalkyl - as a group *per se* and as structural element of other groups and compounds such as haloalkoxy, - are methyl which is mono- to trisubstituted by fluorine, chlorine and/or bromine, such as CHF₂, CF₃ or CH₂Cl; or ethyl which is mono- to pentasubstituted by fluorine, chlorine and/or bromine, such as CH₂CF₃, CF₂CF₃, CF₂CCl₃, CF₂CHCl₂, CF₂CHCl₂, CF₂CFCl₂, CH₂CH₂Cl, CF₂CHBr₂, CF₂CHClF, CF₂CHBrF or CCIFCHClF; propyl or isopropyl, mono- to heptasubstituted by fluorine, chlorine and/or bromine, such as CH₂CHBrCH₂Br, CF₂CHFCF₃, CH₂CF₂CF₃, CF₂CF₂CF₃, CH(CF₃)₂ or CH₂CH₂CH₂Cl; and butyl or one of its isomers, mono-to nonasubstituted by fluorine, chlorine and/or bromine, such as CF(CF₃)CHFCF₃, CF₂(CF₂)₂CF₃ oder CH₂(CF₂)₂CF₃.

Aryl signifies especially phenyl or naphthyl, preferably phenyl.

Heterocyclyl signifies a 5- to 7-membered, saturated or unsaturated, preferably aromatic ring with one to four hetero atoms selected from the group consisting of N, O and S. Preference is given to aromatic 5- and 6-rings that have one nitrogen atom as a hetero atom and optionally one further hetero atom, preferably nitrogen or sulphur, especially nitrogen. Preferred heterocyclyl radicals are for example pyrrolyl, pryazolyl, imidazolyl, 1,2,4-triazolyl, tetrazolyl, pyrrazinyl, pyrridyl, pyrriddinyl, pyridazinyl, thiazolyl, isothiazolyl, isoxazolyl, indolyl,

indazolyl, benzimidazolyl, benzothiazolyl, furanyl, tetrahydrofuranyl and thienyl; tetrazolyl is preferred, especially tetrazolyl which is substituted by C₁-C₃-alkyl, particularly methyl, ethyl, propyl or isopropyl, especially ethyl.

Preferred embodiments in terms of the invention are compounds of formula (I), wherein a) R_1 and R_2 , independently of one another, are halogen, C_1 - C_2 -alkyl, C_3 - C_6 -cycloalkyl, halogen- C_1 - C_2 -alkyl, C_1 - C_2 -alkoxy, halogen- C_1 - C_2 -alkoxy, -C(=O)N(CH₃)₂, -CN or -NO₂, especially, independently of one another, they are halogen, C_1 - C_2 -alkyl, halogen- C_1 - C_2 -alkoxy; C_1 - C_2 -alkoxy or halogen- C_1 - C_2 -alkoxy;

particularly, independently of one another, they are fluorine, chlorine, methyl, trifluoromethyl, methoxy or trifluoromethoxy;

in particular, independently of one another, they are fluorine, trifluoromethyl or trifluoromethoxy;

most particularly wherein the two substituents are the same, m and n are 1, and R_1 and R_2 are in para-position;

b) R₃ is hydrogen, OH, halogen or C₁-C₆-alkoxy;

in particular hydrogen, OH, fluorine or methoxy;

especially hydrogen or OH, preferably OH;

benzyl, phenoxy, benzyloxy; or phenyl, benzyl, phenoxy or benzyloxy which, independently of each other, is mono- to penta-substituted by substituents selected from the group consisting of halogen, cyano, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkoxy- C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkoxy, halogen- C_1 - C_6 -alkoxy, C_2 - C_4 -alkenyl, C_2 - C_4 -alkinyl, C_2 - C_6 -alkenyloxy, C_2 - C_6 -alkinyloxy, -NH-C(=O)-O- C_1 - C_6 -alkyl, -NH-C(=O)-O-halogen- C_1 - C_6 -alkyl, -C(R_7)=N-W- R_8 , phenyl, benzyl, phenoxy, benzyloxy, heterocyclyl and heterocyclyloxy, wherein the heterocyclyl and heterocyclyloxy radicals are optionally substituted by C_1 - C_4 -alkyl; especially wherein

WO 01/17964 PCT/EP00/08566

-6-

 R_4 is phenyl which, independently, is mono- or disubstituted, especially mono-substituted, especially in para-position, by substituents selected from the group consisting of fluorine, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkoxy- C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl- C_1 - C_8 -alkoxy, halogen- C_1 - C_6 -alkoxy, C_2 - C_6 -alkenyloxy, C_2 - C_6 -alkinyloxy, -NH-C(=O)-O- C_1 - C_4 -alkyl, -C(R_7)=N-W- R_8 , pyridyloxy, pyridazinyloxy, and tetrazolyl, wherein the tetrazolyl radicals are substituted by C_1 - C_4 -alkyl, halogen- C_1 - C_4 -alkyl, or C_3 -alkenyl;

- d) R₅ is C₁-C₂-alkyl; especially methyl;
- e) R₆ is hydrogen or C₁-C₃-alkyl; especially hydrogen;
- f) m is 1, 2, or 3; especially 1 or 2; in particular 1;
- g) n is 1, 2, or 3; especially 1 or 2; in particular 1;
- h) p is 1 or 2; especially 2;
- i) q is 1.
- k) R_7 is halogen, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkoxy- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl) or -N(C_1 - C_6 -alkyl)₂;
- I) R₈ is hydrogen, C₁-C₂-alkyl, C₃-C₈-cycloalkyl, C₁-C₂-halogenalkyl or -C(=O)-C₁-C₆-alkyl.
 m) W is O or NH; especially O;

Particularly preferred in terms of the invention are the compounds of formula (I) listed in Table 2.

Therefore, a further object of the invention is a process, which is known to a person skilled in the art, for the production of the novel compounds of formula (I), or a salt thereof, characterised in that

1) in order to prepare a compound of formula (I), wherein q is 0, a compound of formula

$$R_4$$
 CH_2
 R_3
 $(R_2)_n$
 $(R_2)_n$

wherein $(R_1)_m$, $(R_2)_n$, R_4 are defined as given above for formula (I) and X is an ion of opposite charge, such as halogen, sulphate or phosphate, and which is known or may be prepared by known processes, is treated with a reduction agent, for example NaBH₄, where appropriate in a solvent that is inert under the chosen reaction conditions, and

2) the compound of formula (I) thus obtained, wherein q is 0, is optionally reacted with an oxidation agent, especially H_2O_2 .

The compounds of formula (II) may be obtained whereby

3) where (R₁)_m, and (R₂)_n are the same, a compound of formula

wherein R is C₁-C₁₂-alkyl, is reacted with two mols of a compound of formula

$$(R_1)_m$$
 Br (IV) ,

which is known or may be prepared by known processes, and wherein $(R_1)_m$ is defined as given above for formula (I), in the presence of magnesium or n-butyllithium; and

4) the compound of formula

thus obtained, wherein R_1 and m are defined as given for formula (I), is reacted with a compound of formula

wherein R_4 is defined as given above for formula (I) and X is a leaving group, preferably chlorine or bromine.

A further object of the invention is a process for the production of compounds of formula (I), or a salt thereof, characterised in that

5) in order to prepare a compound of formula (I), wherein $(R_1)_m$ and $(R_2)_n$ are the same or different and R_3 is OH, a compound of formula (IV) is reacted with isonicotinonitrile in the presence of magnesium or n-butyllithium, and the compound of formula

obtained after acidic hydrolysis, wherein $(R_1)_m$ is defined as given above for formula (I), is reacted with a compound of formula

which is known or may be prepared by known processes, and wherein $(R_2)_n$ is defined as given above for formula (I), in the presence of magnesium or n-butyllithium; and the compound of formula

thus obtained, wherein $(R_1)_m$ and $(R_2)_n$ are defined as given above for formula (I), is further reacted analogously to process steps 4), 1) and optionally 2), to form a compound of formula (I).

6) in order to produce a compound of formula (I), wherein R₃ is hydrogen, a compound of formula (IX) is reacted with a reduction agent, for example triethylsilane, in the presence of trifluoroacetic acid or trifluoromethanesulphonic acid, to form a compound of formula

wherein $(R_1)_m$ and $(R_2)_n$ are defined as given above for formula (I), and this compound of formula (X) is further reacted analogously to process steps 4), 1) and optionally 2).

7) in order to produce a compound of formula (I), wherein R₃ is alkoxy, a compound of formula (IX) is reacted with an alkyl halide in the presence of a strong base, such as sodium hydride, to form a compound of formula

wherein $(R_1)_m$ and $(R_2)_n$ are defined as given above for formula (I), and this compound of formula (XI) is further reacted analogously to process steps 4), 1) and optionally 2) to form a compound of formula (I).

and/or, if so desired, a compound of formula (I) obtainable according to the method or by other means, present in free form or in the form of a salt, is converted into a different compound of formula (I), a mixture of isomers obtainable according to the method is separated and the desired isomer is isolated and/or a free compound of formula (I) obtainable according to the method or by other means is converted into a salt, or a salt of a compound of formula (I) obtainable according to the method or by other means is converted into the free compound of formula (I) or into a different salt.

The starting materials of formulae (III), (IV), (VI) and (VIII) listed hereinbefore and hereinafter, which are used to produce the compounds of formula (I), in free form or in salt form, are known or may be produced by methods known per se. The compounds of formula

(II), (V), (IX), (X) and (XI) are partly known. If they are new, they therefore similarly form an object of the invention.

The reactions described hereinbefore and hereinafter are carried out in a known manner, e.g. in the absence or, where appropriate, in the presence of a suitable solvent or diluent or a mixture thereof, proceeding as required under conditions of cooling, of ambient temperature, or of heating, e.g. in a temperature range of about -80°C to the boiling temperature of the reaction medium, preferably about -20°C to about +150°C, and where appropriate in a closed vessel, under pressure, in an inert gas atmosphere, and/or under non-aqueous conditions. Especially advantageous reaction conditions are described in the Examples.

A leaving group is understood to be hereinbefore and hereinafter all the removable groups that are usual in chemical reactions and are known to the person skilled in the art; in particular halogens such as fluorine, chlorine, bromine, iodine, -O-C(=O)-A, $-O-P(=O)(W)_2$, $-O-Si(C_1-C_8-alkyl)_3$, $-O-(C_1-C_8-alkyl)$, -O-aryl, $-O-S(=O)_2W$, $-S-P(=O)(W)_2$, $-S-P(=S)(W)_2$, $-S-S-(C_1-C_8-alkyl)$, -S-S-aryl, $-S-(C_1-C_8-alkyl)$, -S-aryl, -S(=O)W, or $-S(=O)_2W$, wherein W is optionally substituted $C_1-C_8-alkyl$, $C_2-C_8-alkenyl$, $C_2-C_8-alkinyl$, optionally substituted aryl, optionally substituted benzyl, $C_1-C_8-alkoxy$ or di- $(C_1-C_8-alkyl)$ amine, in which the alkyl groups are independent of one another; NO_3 , NO_2 or sulphate, sulphite, phosphate, phosphite, carboxylate, imino ester, N_2 or carbamate. Chlorine and bromine are especially preferred as the leaving group, particularly chlorine.

The oxidation agents employed are for example inorganic peroxides, such as sodium perborate, potassium permanganate or hydrogen peroxide; or mCPBA or organic per acids, such as perbenzoic acid or peracetic acid, or mixtures of organic acids and hydrogen peroxide, such as acetic acid / hydrogen peroxide.

The reaction of process 1) preferably takes place in alcohols, such as methanol or ethanol, in a temperature range of 0°C to +50°C, preferably at room temperature. The preferred reduction agent is sodium borohydride.

In process variant 2), the solvents used are preferably alcohols, such as methanol or ethanol. It is preferable to operate at room temperature; suitable oxidation agents are especially H_2O_2 or per acids, in particular H_2O_2 .

In process variants 3) and 5), the solvent used is preferably a dialkylether or tetrahydrofuran; the process is carried out in a temperature range of -70°C to room temperature, and the metallising agent used is magnesium or n-butyllithium.

In process variant 4), inert solvents, such as benzene, toluene, xylenes, acetonitrile, propionitrile, ethyl acetate, propyl acetate, butyl acetate, acetone, diethyl ketone, methyl ethyl ketone or methyl isobutyl ketone, are used. The temperature range is from room temperature to reflux temperature of the corresponding solvent, with reflux temperature being preferred.

In process variant 6), the reduction agent employed is preferably triethylsilane in the presence of an acid, such as trifluoroacetic acid or trifluoromethanesulphonic acid.

In process variant 7), dimethylformamide or tetrahydrofuran is suitable as the solvent, preferably dimethylformamide; the preferred base is sodium hydride.

Compounds of formula (I) obtainable according to the method or by other means may be converted in a manner known *per se* into other compounds of formula (I), by replacing one or more substituents of the starting compound of formula (I) in conventional manner with (an)other substituent(s) according to the invention.

Depending on the choice of appropriate reaction conditions and starting materials, it is possible to replace only one substituent with another substituent according to the invention in one reaction step, or several substituents may be replaced with other substituents according to the invention in the same reaction step.

Salts of compounds of formula (I) may be prepared in a known manner. For example, it is possible to obtain salts of compounds of formula (I) with bases, by treating the free compounds with an appropriate base or with an appropriate ion exchange reagent.

Salts of compounds of formula (I) may be converted in conventional manner into the free compounds of formula (I), e.g. by treatment with a suitable acid or with a suitable ion exchange reagent.

Salts of compounds of formula (I) may be transformed in known manner into other salts of a compound of formula (I).

The compounds of formula (I) in free form or in salt form may exist in the form of one of the possible isomers or as a mixture thereof, e.g. depending on the number, the absolute and relative configuration of asymmetric carbon atoms appearing in the molecule and/or depending on the configuration of non-aromatic double bonds appearing in the molecule, as pure isomers such as antipodes and/or diastereoisomers, or as isomer mixtures such as enantiomer mixtures, e.g. racemates, diastereoisomer mixtures or racemate mixtures. The invention relates both to the pure isomers and to all the possible mixtures of isomers, and hereinbefore and hereinafter is to be understood as such accordingly, even if the stereochemical details are not specifically mentioned in each case.

Depending on the choice of starting materials and methods, diastereoisomer mixtures, racemate mixtures and mixtures of double bond isomers of compounds of formula (I) in free form or in salt form, which are obtainable by the process or in another way, may be separated in known manner, on the basis of the physical-chemical differences in their components, into the pure diastereoisomers or racemates, for example by fractional crystallisation, distillation and/or chromatography.

Enantiomer mixtures that are obtainable correspondingly, such as racemates, may be broken down by known methods into the optical antipodes, for example by recrystallisation from an optically active solvent, by chromatography on chiral adsorbents, e.g. high pressure liquid chromatography on acetyl cellulose, with the assistance of suitable microorganisms, by cleavage with specific, immobilised enzymes, through the formation of inclusion compounds, e.g. using chiral crown ethers, whereby only one enantiomer is complexed, or by converting into diastereoisomeric salts and separating the diastereoisomer mixture obtained in this way, e.g. on the basis of their different solubilities, by fractional crystallisation, into the diastereoisomers, from which the desired enantiomer can be released upon the action of suitable agents.

According to the invention, apart from isolation of corresponding isomer mixtures, generally known methods of diastereoselective or enantioselective synthesis can also be applied to obtain pure diastereoisomers or enantiomers, e.g. by carrying out the method of the invention using educts with correspondingly suitable stereochemistry.

It is advantageous to isolate or synthesise the biologically more active isomer, e.g. enantiomer or diastereoisomer, or isomer mixture, e.g. enantiomer mixture or diastereoisomer mixture, provided that the individual components have differing biological efficacy.

Compounds of formula (I) in free form or in salt form can also be obtained in the form of their hydrates and/or also can include other solvents, used for example where necessary for the crystallisation of compounds present in solid form.

The invention relates to all those forms of the method, according to which one starts from a compound obtainable as a primary material or an intermediate at any stage of the method and carries out all or some of the missing steps, or uses, or – especially under the reaction conditions – produces a starting material in the form of a derivative or a salt and/or its racemate or enantiomer.

In the method of the present invention, the starting materials and intermediates used, each in free form or in salt form, are preferably those that lead to the compounds of formula (I) or salts thereof described at the beginning as being especially useful.

The invention relates especially to the method of preparation described in Example P1.

The compounds of formula (I) according to the invention are active substances of preventive and/or curative merit for use in pest control and offer a very favourable spectrum of biocidal activity with favourable tolerability in warm-blooded animals, fish, and plants even at low concentrations. The active ingredients according to the invention are active against all or individual development stages of animal pests showing normal sensitivity, as well as those showing resistance, such as insects or members of the order *Acarina*. The insecticidal or acaricidal effect of the active substances of the invention can manifest itself directly, i.e. killing the pests either immediately or after some time has elapsed, for example when moulting occurs, or indirectly, e.g. reducing the number of eggs laid and/or the hatching rate, good efficacy corresponding to a pesticidal rate (mortality) of at least 50 to 60%.

The said animal pests include, for example, those which are mentioned in the European Patent application EP-A-736'252. The pests mentioned therein are thus included by reference in the object of the present invention. The active ingredients according to the invention are especially suitable for controlling *Boophilus microplus, Nilaparvata lugens* and *Tetranychus urticae*, preferably for controlling these pests in vegetable, fruit and rice crops.

Pests of said type which occur on plants, especially on crops and ornamentals in agriculture, horticulture and forestry, or on parts of such plants, such as fruits, blooms, leaves, stems, tubers or roots, can be controlled, i.e. kept in check or eradicated, using the active

ingredients of the invention, this protection remaining for parts of some plants whose growth does not occur until later.

Target crops include especially cereals, such as wheat, barley, rye, oats, rice, corn or sorghum; beet, such as sugar beet or fodder beet; fruit, e.g. pomes, drupes and soft fruit, such as apples, pears, plums, peaches, almonds, cherries or berries, e.g. strawberries, raspberries or blackberries; leguminous plants, such as beans, lentils, peas or soybean; oleaginous fruits, such as rape, mustard, poppy, olives, sunflowers, coconut, castor oil plants, cocoa beans or groundnuts; cucumber plants, such as squashes, cucumbers or melons; fibrous plants, such as cotton, flax, hemp or jute; citrus fruits, such as oranges, lemons, grapefruit or mandarins; vegetables, such as spinach, lettuce, asparagus, cabbages, carrots, onions, tomatoes, potatoes or paprika; lauraceae, such as avocado, cinnamon or camphor; and tobacco, nuts, coffee, aubergines, sugar cane, tea, pepper, vines, hops, banana plants, natural rubber plants and ornamentals.

Other indication areas for the active ingredients of the invention are the protection of stored products and stores and of material and, in the hygiene sector, especially the protection of domestic animals and livestock against pests of said type.

The invention therefore relates also to pesticides, such as emulsifiable concentrates, suspension concentrates, ready-to-spray or ready-to-dilute solutions, coatable pastes, dilute emulsions, spray powders, soluble powders, dispersible powders, wettable powders, dusts, granulates or encapsulations in polymeric substances (chosen in accordance with the intended objectives and prevailing circumstances), comprising at least one active ingredient of the invention.

The active ingredient is used in these compositions in pure form and a solid active ingredient e.g. in a specific particle size, or preferably together with at least one of the adjuvants conventionally employed in the art of formulation, such as extenders, e.g. solvents or solid carriers, or surface-active compounds (surfactants).

The adjuvants which can be used for formulation are, for example, solid carriers, solvents, stabilizers, "slow-release" agents, dyes, and where appropriate surfactants. Carriers and adjuvants can be any substance conventionally used in crop protection agents, especially agents for slug and snail control. Adjuvants such as solvents, solid carriers, surface-active agents, non-ionic surfactants, cationic surfactants, anionic surfactants, and other adjuvants

in the compositions of the invention can, for example, be the same as those described in EP-A-736'252, and are included by reference in the object of the present invention.

As a rule, the compositions comprise 0.1 to 99%, especially 0.1 to 95%, of active ingredient and 1 to 99.9%, especially 5 to 99.9%, of at least one solid or liquid adjuvant, it being possible as a rule for 0 to 25%, especially 0.1 to 20%, of the composition to be surfactants (% in each case meaning percent by weight). Whereas concentrated compositions tend to be preferred for commercial goods, the end consumer as a rule uses dilute compositions which have substantially lower concentrations of active ingredient. Preferred compositions are composed in particular as follows (% = percent by weight):

Emulsifiable concentrates:

Active ingredient:

1 to 95%, preferably 5 to 20%

Surfactant:

1 to 30%, preferably 10 to 20%

Solvent:

5 to 98%, preferably 70 to 85%

Dusts:

Active ingredient:

0.1 to 10%, preferably 0.1 to 1%

Solid carrier:

99.9 to 90%, preferably 99.9 to 99%

Suspension concentrates:

Active ingredient:

5 to 75%, preferably 10 to 50%

water:

94 to 24%, preferably 88 to 30%

Surfactant:

1 to 40%, preferably 2 to 30%

Wettable powders:

Active ingredient:

0.5 to 90%, preferably 1 to 80%

Surfactant:

0.5 to 20%, preferably 1 to 15%

Solid carrier:

5 to 99%, preferably 15 to 98%

Granulates:

Active ingredient:

0.5 to 30%, preferably 3 to 15%

Solid carrier:

99.5 to 70%, preferably 97 to 85%

The activity of the compositions of the invention can be substantially broadened and adapted to prevailing circumstances by adding other insecticidal substances. Additional active ingredients are, for example, substances from the following classes: organic phosphorus

compounds, nitrophenols and their derivatives, formamidines, acylureas, carbamates, pyrethroids, nitroenamines and their derivatives, pyrroles, thioureas and their derivatives, chlorinated hydrocarbons and *Bacillus thuringiensis* preparations. The compositions of the invention can also contain further solid or liquid adjuvants, such as stabilisers, e.g. vegetable oils, epoxidised where appropriate (e.g. epoxidised coconut oil, rapeseed oil or soya oil), antifoaming agents, e.g. silicone oil, preservatives, viscosity modulators, binders and/or tackifiers, as well as fertilisers or other active ingredients to achieve specific effects, e.g. acaricides, bactericides, fungicides, nematocides, molluscicides or selective herbicides.

The compositions of the invention are prepared in a known manner, in the absence of adjuvants, for example, by grinding, sieving, and/or compressing a solid active ingredient or active ingredient mixture, e.g. to a specific particle size, and in the presence of at least one adjuvant, for example, by intimately mixing and/or grinding the active ingredient or the mixture of active ingredients with the adjuvant(s). These methods for preparing compositions of the invention and the use of compounds of the formula (I) for preparing these compositions likewise form an object of the invention.

The methods of application for the compositions, i.e. the methods of controlling pests of said type, such as spraying, atomising, dusting, coating, dressing, scattering or pouring, which are chosen in accordance with the intended objectives and prevailing circumstances, and the use of the compositions for controlling pests of said type are further objects of the invention. Typical concentrations of active ingredient are between 0.1 and 1000 ppm, preferably between 0.1 and 500 ppm. The rates of application are generally 1 to 2000 g of active ingredient per hectare, especially 10 to 1000 g/ha, and preferably 20 to 600 g/ha.

A preferred method of application for crop protection is to apply the active ingredient to the foliage of the plants (leaf application), the number of applications and the rate of application depending on the intensity of infestation by the pest in question. However, the active ingredients can also penetrate the plant through the roots (systemic action) by impregnating the locus of the plant with a liquid composition, or by applying the active ingredient in solid form to the locus of the plants, e.g. the soil, for example in granular form (soil application). With paddy rice cultures, granules may be metered into the flooded paddy field.

The compositions of the invention are also suitable for protecting plant propagation material, including genetically modified propagation material, e.g. seeds, such as fruits, tubers or grains, or plant seedlings, from animal pests. The propagation material can be treated with

the composition before the start of cultivation, seeds for example being dressed before they are sown. The active ingredients of the invention can also be applied to seeds (coating) by either soaking the seeds in a liquid composition or coating them with a solid composition. The composition can also be applied when the propagation material is introduced to the place of cultivation, e.g. when the seeds are sown in the seed furrow. The treatment procedures for plant propagation material and the propagation material thus treated are further objects of the invention.

The invention is illustrated by the following examples. They do not impose any limitation on the invention. The temperatures are given in degrees Celsius, and the proportions of solvents in the mixture are given as parts by volume.

Preparation examples

Preparation Example P1: Preparation of the compound of formula

a) Preparation of the compound of formula

3.4. g of magnesium are coated with 20 ml of diethylether and then 30.0 g of 4-bromobenzotrifluoride in 80 ml of diethylether are slowly added dropwise whilst stirring. After stirring for 1 hour, 6.1 ml of isonicotinic acid ethyl ester in 40 ml of diethylether are slowly added dropwise, and stirring continues for a further 5 hours. Then, the mixture is carefully hydrolysed with diluted acetic acid, washed twice with water and once with sodium chloride solution, the organic phase is dried over sodium sulphate and concentrated under vacuum. The residue is chromatographed on silica gel with hexane/ethyl acetate (2:1). A yellow oil is obtained, which crystallises from diethylether/hexane. beige crystals, m.p. 161-163°C.

b) Preparation of the compound of formula

2.0 g of the above compound (A) and 1.4 g of the compound of formula

$$\begin{array}{c|c}
Et & N & CI
\end{array}$$
(C)

are heated for 72 hours under reflux in 50 ml of toluene. After cooling the reaction mixture and adding diethylether dropwise, compound (C) crystallises in the form of colourless crystals, m.p. 233-242°C.

c) Preparation of the compound of formula

1.2 g of compound (B) in 20 ml of methanol are mixed in portions with 0.14 g of sodium borohydride and stirred for 1 hour. After adding 1 ml of acetone, the reaction mixture is mixed with ethyl acetate and washed twice with water and once with sodium chloride solution, the organic phase is dried over sodium sulphate and concentrated under vacuum. (D) is obtained as a colourless foam.

d) Preparation of the title compound

0.84 g of compound (D) in 25 ml of methanol are stirred for 48 hours at room temperature together with 2.8 ml of 30% hydrogen peroxide. The reaction mixture is mixed with ethyl acetate and washed twice with water and once with sodium chloride solution, the organic phase is dried over sodium sulphate and concentrated under vacuum. The compound crystallises from dichloromethane/hexane in the form of colourless crystals, m.p. 156-167°C.

<u>Example P2:</u> The remaining compounds of Tables 1 and 2 may be produced analogously to the manner described above. In the tables, m.p. indicates the melting point in °C, Me is methyl, Et is ethyl, i-prop is isopropyl, i-but is isobutyl and c-prop is cyclopropyl.

Table 1: Compounds of formula

Ex. No.	R ₁	R ₂	Ra	melting point
1.1	OCF ₃	OCF ₃	n-propoxy	147-150
1.2	OCF ₃	OCF ₃	OMe	108-114
1.3	OCF ₃	OCF ₃	benzyloxy	149-151
1.4	OCF ₃	OCF ₃	cyclopentyloxy	137-145
1.5	OCF ₃	CF ₃	i-propyloxy	76-84
1.6	OCF ₃	OMe	i-propyloxy	solid
1.7	OCF ₃	F	i-propyloxy	58-63°C
1.8	CF ₃	OMe	-O-CH ₂ -c-prop.	111-118
1.9	OCF ₃	CF ₃	2-pyridyloxy	83-90
1.10	OCF ₃	OCF ₃	NHCOOEt	135-143
1.11	CF ₃	CF ₃	NHCOOEt	238-240
1.12	CF ₃	F	NHCOOEt	solid
1.13	OCF ₃	OMe	NHCOOEt	179-184
1.14	OCF ₃	OCF ₃	NHCOO-i-prop.	130-133
1.15	CF ₃	CF ₃	NHCOO-i-prop	239-241
1.16	CF ₃	CF₃	N N Et	233-242
1.17	CI	CI	NHCOO-i-butyl	150-153
1.18	CF ₃	CF₃	NHCOO-i-butyl	145-147
1.19	OCF ₃	OCF ₃	N Et	206-208

Ex. No.	R ₁	R ₂	R _a	melting point
1.20	OCF₃	CF₃	N N Et	203-205
1.21	CF₃	CF ₃	N i-Prop.	229-232
1.22	CF₃	CF₃	N Me	260-262
1.23	CF ₃	CF ₃	N=N CI H	247-249
1.24	t-but	t-but	NHCOO-i-prop	190-197
1.25	CF₃	CF ₃	N CH ₂ -CH=CH ₂	135-140
1.26	CF₃	CF ₃	N CH₂CH₂F	224-227
1.27	OCF ₃	CF₃	N CH₂CH₂F	193-197
1.28	OCF ₃	OCF ₃	N CH₂CH₂F N N	188-192
1.29	CF ₃	CF ₃	-C ₆ H₅	160-165
1.30	CF₃	CF ₃	ONF	210-212
1.31	OCF₃	OCF ₃	ONF	116-120

Ex. No.	R ₁	R₂	Ra	melting point
1.32	CF₃	CF₃	O N N OCH,	195-200

Table 2: Compounds of formula

$$(O)_q$$
 CH_2
 R_3
 R_2
(Ia)

_						
No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.1	OCF₃	OCF ₃	n-propoxy	ОН	0	resin
2.2	OCF ₃	OCF ₃	OEt	ОН	0	resin
2.3	OCF ₃	OCF ₃	n-butoxy	ОН	0	resin
2.4	OCF ₃	OCF ₃	OMe	ОН	0	resin
2.5	OCF ₃	OCF ₃	n-propoxy	ОН	1	m.p. 175
2.6	OCF ₃	OCF ₃	-O-CH₂-c-Prop.	ОН	0	foam
2.7	OCF ₃	OCF ₃	allyloxy	ОН	0	resin
2.8	OCF ₃	OCF ₃	i-butyloxy	ОН	0	foam
2.9	OCF ₃	OCF ₃	propargyloxy	ОН	0	oil
2.10	OCF ₃	OCF ₃	benzyloxy	ОН	0	resin
2.11	OCF ₃	OCF ₃	s-butyloxy	ОН	0	resin
2.12	OCF₃	OCF ₃	i-propyloxy	ОН	0	resin
2.13	OCF ₃	OCF ₃	F	ОН	0	resin
2.14	CF ₃	CF₃	n-propoxy	ОН	0	foam
2.15	F	OMe	n-propoxy	ОН	0	resin
2.16	OCF ₃	OCF ₃	cyclopentyloxy	ОН	0	foam

No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.17	OCF₃	OCF ₃	n-propoxy	ОН	0	resin
2.18	OCF ₃	F	n-propoxy	ОН	0	resin
2.19	CF ₃	OMe	n-propoxy	ОН	0	resin
2.20	OCF ₃	OMe	OEt	ОН	0	foam
2.21	OCF ₃	F	OEt	ОН	0	foam
2.22	OCF ₃	F	n-butoxy	ОН	0	resin
2.23	CF₃	CF ₃	OEt	ОН	0	foam
2.24	CF ₃	CF ₃	n-butoxy	ОН	0	foam
2.25	OCF ₃	OMe	n-butoxy	ОН	0	resin
2.26	OCF ₃	CF ₃	n-butoxy	ОН	0	foam
2.27	OCF ₃	CF ₃	OEt	ОН	0	foam
2.28	CF ₃	OCF ₃	-O-CH ₂ -c-prop.	ОН	0	foam
2.29	OCF ₃	F	-O-CH₂-c-prop.	ОН	0	foam
2.30	OCF ₃	CF ₃	-O-CH₂-c-prop.	ОН	0	foam
2.31	OCF ₃	OMe	-O-CH ₂ -c-prop.	ОН	0	foam
2.32	OCF ₃	OMe	allyloxy	ОН	0	resin
2.33	OCF ₃	CF ₃	allyloxy	ОН	0	oil
2.34	OCF ₃	F	i-propyloxy	ОН	0	foam
2.35	OCF ₃	OMe	i-propyloxy	ОН	0	foam
2.36	OCF ₃	CF ₃	i-propyloxy	ОН	0	foam
2.37	OCF₃	CF ₃	propargyloxy	ОН	0	resin
2.38	OCF ₃	OMe	propargyloxy	ОН	0	resin
2.39	OCF ₃	F	propargyloxy	ОН	0	oil
2.40	OCF ₃	F	allyloxy	ОН	0	resin
2.41	CF ₃	OMe	n-butoxy	ОН	0	resin
2.42	CF ₃	OMe	OEt	ОН	0	foam
2.43	OCF ₃	OCF ₃	F	ОН	1	m.p. 97 - 100
2.44	CF ₃	OMe	allyloxy	ОН	0	resin
2.45	CF ₃	OMe	propargyloxy	ОН	0	resin
2.46	CF ₃	OMe	-O-CH₂-c-prop.	ОН	0	foam
2.47	OCF ₃	OCF ₃	propargyloxy	ОН	1	m.p. 98 - 102
2.48	OCF ₃	CF ₃	allyloxy	ОН	1	m.p. 105 - 110

WO 01/17964 PCT/EP00/08566

						•
No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.49	CF₃	CF ₃	n-propoxy	ОН	1	m.p. 135 - 140
2.50	OCF ₃	CF ₃	n-butoxy	ОН	1	m.p. 124 - 127
2.51	CF₃	CF ₃	n-butoxy	ОН	1	m.p. 167 - 172
2.52	CF ₃	CF ₃	OEt	ОН	1	m.p. 183 - 188
2.53	OCF ₃	CF ₃	-O-CH₂-c-prop.	ОН	1	m.p. 181 - 184
2.54	CF ₃	CF ₃	-O-CH₂-c-prop.	ОН	1	m.p. 189 - 191
2.55	OCF ₃	OCF ₃	cyclopentyloxy	ОН	1	foam
2.56	CF₃	F	n-propoxy	ОН	0	resin
2.57	CF ₃	F	n-butoxy	ОН	0	resin
2.58	CF ₃	F	-O-CH₂-c-prop.	ОН	0	resin
2.59	CF ₃	F	allyloxy	ОН	0	resin
2.60	CF ₃	F	propargyloxy	ОН	0	foam
2.61	CF ₃	F	propargyloxy	ОН	1	foam
2.62	CF ₃	F	n-propoxy	ОН	1	foam
2.63	CF ₃	F	-O-CH₂-c-prop.	ОН	1	foam
2.64	OCF ₃	F	-O-CH₂-c-prop.	ОН	1	m.p. 174 - 178
2.65	OCF ₃	OCF ₃	2-pyridyloxy	ОН	0	foam
2.66	CF ₃	OMe	2-pyridyloxy	ОН	0	foam
2.67	OCF ₃	CF ₃	2-pyridyloxy	ОН	0	foam
2.68	OCF ₃	F	2-pyridyloxy	ОН	0	foam
2.69	OCF ₃	OCF ₃	NHCOOMe	ОН	0	foam
2.70	OCF ₃	CF ₃	NHCOOMe	ОН	0	foam
2.71	OCF ₃	OMe	2-pyridyloxy	OH	0	foam
2.72	CF ₃	F	2-pyridyloxy	ОН	0	foam
2.73	CF ₃	CF ₃	2-pyridyloxy	ОН	0	foam
2.74	CF ₃	CF ₃	NHCOOMe	ОН	0	foam
2.75	CF ₃	F	NHCOOMe	ОН	0	foam
2.76	OCF ₃	OMe	NHCOOMe	ОН	0	foam
2.77	OCF ₃	CF ₃	NHCOOMe	ОН	1	m.p. 159 - 161
2.78	OCF ₃	OCF ₃	NHCOOMe	ОН	1	m.p. 159 - 161
2.79	OCF ₃	OCF ₃	NHCOOEt	ОН	0	foam
2.80	OCF ₃	OMe	NHCOOEt	ОН	0	foam

WO 01/17964

			·	_		
No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.81	OCF ₃	CF ₃	NHCOOEt	ОН	0	foam
2.82	CF ₃	CF ₃	NHCOOEt	OH	0	foam
2.83	CF₃	F	NHCOOEt	ОН	0	foam
2.84	OCF ₃	OCF ₃	NHCOOEt	ОН	1	m.p. 148 - 151
2.85	OCF ₃	CF ₃	NHCOOEt	OH	1	m.p. 130 - 134
2.86	CF₃	CF ₃	NHCOOEt	ОН	1	m.p. 154 - 157
2.87	CF ₃	F	NHCOOEt	ОН	1	m.p. 157 - 160
2.88	OCF ₃	OCF ₃	NHCOOMe	Н	0	foam
2.89	OCF ₃	OCF ₃	NHCOOMe	Н	1	m.p. 147 - 150
2.90	OCF ₃	OCF ₃	NHCOOEt	OMe	0	resin
2.91	OCF ₃	OCF ₃	NHCOOEt	OMe	1	m.p. 113- 117
2.92	OCF ₃	OCF ₃	NHCOOEt	Н	0	foam
2.93	OCF ₃	OCF ₃	NHCOOEt	Н	1	m.p. 135 - 139
2.94	CF ₃	CF ₃	NHCOOMe	ОН	1	m.p. 163 - 167
2.95	CF ₃	CF ₃	NHCOO-i-prop.	OH	0	foam
2.96	OCF ₃	OCF ₃	NHCOO-i-prop.	ОН	0	foam
2.97	CF₃	CF₃	N N Et	ОН	0	foam
2.98	CF ₃	CF₃	N N Et	ОН	1	m.p. 156 - 167
2.99	CF₃	CF ₃	NHCOO-i-prop.	ОН	1	m.p. 183 - 186
2.100	OCF ₃	OCF ₃	NHCOQ-i-prop.	ОН	1	m.p. 181 - 184
2.101	CF ₃	CF ₃	NHCOO-i-but.	ОН	0	foam
2.102	CI	CI	NHCOO-i-but.	ОН	0	foam
2.103	OCF ₃	CF₃	N N Et	ОН	0	foam
2.104	OCF ₃	OCF ₃	N Et	ОН	0	foam

No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.105	OCF₃	OCF ₃	N i-Prop.	ОН	0	foam
2.106	OCF ₃	OCF ₃	N Et	ОН	1	m.p. 173 - 175
2.107	OCF ₃	CF ₃	N Et	ОН	1	m.p. 70 – 75°C
2.108	CI	CI	NHCOO-i-but.	ОН	1	m.p. 177 – 179
2.109	CF₃	CF ₃	NHCOO-i-but.	ОН	1	m.p. 180 - 183
2.110	OCF ₃	OCF ₃	N N i-Prop.	ОН	1	m.p. 136 - 139
2.111	CF ₃	CF ₃	N i-Prop.	ОН	0	foam
2.112	CF ₃	CF ₃	N Me	ОН	0	foam
2.113	OCF ₃	OCF ₃	NHCOO-i-but.	ОН	1	m.p. 179 - 181
2.114	CF ₃	CF ₃	N i-Prop.	ОН	1	m.p. 148 - 151
2.115	CF ₃	CF ₃	N Me	ОН	1	m.p. 165 - 167
2.116	OCF ₃	OCF ₃	N Me	ОН	0	foam
2.117	OCF₃	OCF ₃	N Me	ОН	1	m.p. 125 - 135
2.118	CF₃	CF ₃	N n-Prop.	ОН	0	foam

No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.119	CF₃	CF ₃	N N n-Prop.	ОН	.1	m.p. 157 - 160
2.120	OCF ₃	OCF ₃	N N n-Prop.	ОН	0	resin
2.121	OCF₃	OCF ₃	N n-Prop.	ОН	1	solid
2.122	CF ₃	F	NHCOO-i-Prop.	ОН	0	foam
2.123	OCF ₃	CF ₃	N CH ₃	ОН	0	resin
2.124	OCF₃	CF ₃	N CH ₃	ОН	1	m.p. 155 - 162
2.125	CF ₃	CF₃	-CH=NOCH ₃	ОН	0	foam
2.126	CF ₃	CF ₃	-CH=NOC₂H₅	ОН	0	foam
2.127	OCF ₃	OCF ₃	-CH=NOC₂H₅	ОН	0	resin
2.128	OCF ₃	CF ₃	-CH=NOC₂H₅	ОН	0	resin
2.129	OCF ₃	CF ₃	-CH=NOCH ₃	ОН	0	resin
2.130	OCF ₃	CF ₃	-CH=NOC₂H₅	ОН	1	foam
2.131	OCF ₃	OCF ₃	-CH=NOC₂H₅	ОН	1	foam
2.132	CF₃	CF₃	O H H	ОН	0	foam
2.133	CF₃	CF ₃	O————CI	ОН	1	m.p. 159-163
2.134	t-But	t-But	NHCOO-i-prop.	ОН	0	foam
2.135	t-But	t-But	NHCOO-i-prop.	ОН	1	m.p. 204-205

No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.136	CF ₃	CF ₃	N CH ₂ CH ₂ F	ОН	0	foam
2.137	CF₃	CF ₃	N CH ₂ CH ₂ F	ОН	0	m.p. 156-164
2.138	OCF ₃	CF ₃	N CH ₂ CH ₂ F		0	foam
2.139	OCF ₃	CF ₃	N CH ₂ CH ₂ F	ОН	1	m.p.167-169
2.140	OCF ₃	OCF ₃	N CH ₂ CH ₂ F	ОН	0	foam
2.141	OCF ₃	OCF ₃	N CH ₂ CH ₂ F	ОН	1	m.p. 165-167
2.142	CF ₃	CF ₃	N CH ₂ -CH=CH ₂			
2.143	CF ₃	CF ₃	N CH ₂ -CH=CH ₂	ОН	1	solid
2.144	CF ₃	CF ₃	OCH3	OH	0	resin
2.145	CF ₃	CF ₃	OCH3	ОН	1	m.p. 164
2.146	CF ₃	CF ₃	ONF	ОН	0	resin

No.	R ₁	R ₂	Ra	R ₃	q	phys. data
2.147	CF₃	CF₃	0 N F	ОН	1	m.p. 145-149
2.148	OCF₃	OCF ₃	O N F	ОН	0	resin
2.149	OCF₃	OCF ₃	ONF	ОН	. 1	m.p. 128-134
2.150	CF ₃	CF₃	Phenyl	ОН	0	foam
2.151	CF ₃	CF ₃	Phenyl	ОН	1	m.p. 150-153
<u>Formula</u>	tion exam	<u>ıples</u> (% =	percent by weight)			
Example	F1: Emu	Ision cond	entrates	a)	b)	c)
active in	gredient			25%	40%	50%
calcium	dodecylbe	enzenesul	phonate	5%	8%	6%
castor o	il polyethy	lene glyco	ol ether(36 mois EO)	5%	-	-
tributyl p	henol pol	yethylene	glycol ether (30 mols EO)	-	12%	4%
cyclohe	xanone			-	15%	20%
xylene n	nixture			65%	25%	20%

Mixing of finely ground active ingredient and adjuvants results in an emulsion concentrate which is diluted with water to yield emulsions of the desired concentration.

Example F2: Solutions	a)	b)	c)	d)
active ingredient	80%	10%	5%	95%
ethylene glycol monomethyl ether	20%	-	-	-
polyethylene glycol (MW 400)	-	70%	-	•
N-methylpyrrolid-2-one	-	20%	-	-
epoxidised coconut oil	-	-	1%	5%
petrol (boiling limits: 160-190°)			94%	-

Mixing of finely ground active ingredient and adjuvants results in a solution which is suitable for application in the form of fine droplets.

PCT/EP00/08566

Example F3: Granulates	a)	b)	c)	d)
active ingredient	5%	10%	8%	21%
kaolin	94%	-	79%	54%
highly dispersed silicic acid	1%	-	13%	7%
attapulgite	_	90%	-	18%

The active ingredient is dissolved in dichloromethane, the solution sprayed onto the carrier mixture, and the solvent evaporated off under vacuum.

- 30 -

Biological Examples

Example B1: Effect on Heliothis virescens caterpillars

Young soya plants are sprayed with an aqueous emulsion spray mixture containing 400 ppm of active ingredient. After drying of the spray deposit, the soya plants are colonised with 10 first instar caterpillars of *Heliothis virescens* and placed in a plastic container. Six days later they are evaluated. The percentage reduction of the population and percentage reduction in feeding damage (% response) are determined by comparing the number of dead caterpillars and the extent of feeding damage on the treated plants with those on the untreated plants.

The compounds of table 2 show good efficacy against *Heliothis virescens* in this test. In particular, compounds 2.85, 2.86, 2.98, 2.99, 2.100 and 2.115 show efficacy of over 80%.

Example B2: Effect on Plutella xylostella caterpillars

Young cabbage plants are sprayed with an aqueous emulsion spray mixture containing 400 ppm of active ingredient. After drying of the spray deposit, the cabbage plants are colonised with 10 third instar caterpillars of *Plutella xylostella* and placed in a plastic container. Three days later they are evaluated. The percentage reduction of the population and percentage reduction in feeding damage (% response) are determined by comparing the number of dead caterpillars and the extent of feeding damage on the treated plants with those on the untreated plants.

The compounds of table 2 show good efficacy against *Plutella xylostella*. In particular, compounds 2.85, 2.86, 2.94, 2.98, 2.99, 2.100 and 2.115 show efficacy of over 80%.

WO 01/17964 PCT/EP00/08566

- 31 -

Example B3: Effect on Diabrotica balteata larvae

Corn seedlings are sprayed with an aqueous emulsion spray mixture containing 400 ppm of active ingredient. After drying of the spray deposit, the corn seedlings are colonised with 10 second instar larvae of *Diabrotica balteata* and placed in a plastic container. Six days later they are evaluated. The percentage reduction of the population (% response) is determined by comparing the number of dead larvae on the treated plants with those on the untreated plants.

The compounds of table 2 show good efficacy against *Diabrotica balteata* in this test. In particular, compounds 2.85, 2.86, 2.99 and 2.100 show efficacy of over 80%.

What we claim is:

1. Compound of formula

wherein

 R_1 and R_2 , independently of one another, are halogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl, halogen- C_1 - C_6 -alkyl, halogen- C_3 - C_6 -cycloalkyl, C_2 - C_4 -alkenyl, C_2 - C_4 -alkinyl, halogen- C_2 - C_4 -alkinyl, halogen- C_2 - C_4 -alkinyl, C_1 - C_6 -alkoxy, halogen- C_1 - C_6 -alkoxy, C_2 - C_8 -alkenyloxy, C_2 - C_8 -alkenyloxy, halogen- C_2 - C_6 -alkinyloxy, halogen- C_2 - C_6 -alkinyloxy, halogen- C_2 - C_6 -alkenyloxy, halogen- C_2 - C_6 -alkinyloxy, -SF₅, -C(=O)N(R_5)₂, -O-C(=O)N(R_5)₂, -CN, -NO₂, -S(=O)₂N(R_5)₂, -S(=O)_p- C_1 - C_6 -alkyl, -S(=O)_p-halogen- C_1 - C_6 -alkyl, phenyl, benzyl, phenoxy or benzyloxy, wherein each of the phenyl, benzyl, phenoxy or benzyloxy radicals is either unsubstituted or mono- to penta-substituted in the aromatic ring, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO₂, C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy and halogen- C_1 - C_6 -alkoxy;

R₃ is hydrogen, OH, halogen, C₁-C₆-alkoxy, or -O-C(=O)-C₁-C₆-alkyl;

 $R_4 \text{ is } C_1-C_8-\text{alkyl}, \text{ halogen-} C_1-C_6-\text{alkyl}, C_3-C_8-\text{cycloalkyl}, \text{ halogen-} C_3-C_8-\text{cycloalkyl}, C_3-C_8-\text{cycloalkyl}, C_3-C_8-\text{cycloalkyl}, C_3-C_8-\text{cycloalkyl}, C_3-C_8-\text{cycloalkyl}, C_3-C_8-\text{alkenyl}, C_2-C_4-\text{alkinyl}, \text{ halogen-} C_2-C_4-\text{alkenyl}, \text{ halogen-} C_2-C_4-\text{alkinyl}, C_1-C_8-\text{alkoxy}, \text{ halogen-} C_1-C_6-\text{alkoxy}, C_2-C_8-\text{alkenyloxy}, C_2-C_8-\text{alkinyloxy}, \text{ halogen-} C_2-C_8-\text{alkenyloxy}, \text{ halogen-} C_2-C_8-\text{alkinyloxy}, -C(=O)-C_3-C_8-\text{alkyl}, -C(=O)-C_3-C_8-\text{alkyl}, -C(=O)-C_1-C_8-\text{alkyl}, -C(=O)-O-\text{halogen-} C_1-C_8-\text{alkyl}, -C(=O)-\text{halogen-} C_1-C_8-\text{alkyl}, -C(=O)-\text{halogen-} C_1-C_8-\text{alkyl}, -C(=O)-\text{halogen-} C_1-C_8-\text{alkyl}, -C(=O)-\text{halogen-} C_1-C_8-\text{alkyl}, -C(=O)-\text$

 C_2 - C_4 -alkenyl, halogen- C_2 - C_4 -alkinyl, C_2 - C_6 -alkenyloxy, C_2 - C_6 -alkinyloxy, halogen- C_2 - C_6 -alkinyloxy, -NR₆-C(=O)-O- C_1 - C_6 -alkyl, -NR₆-C(=O)-O-C2- C_6 -alkenyl, -NR₆-C(=O)-O-halogen- C_1 - C_6 -alkyl, -C(R₇)=N-W-R₈, phenyl, benzyl, phenoxy, benzyloxy, heterocyclyl and heterocyclyloxy, wherein, depending on the substitution possibility on the ring, the heterocyclyl and heterocyclyloxy radicals are optionally mono- to trisubstituted by substituents selected from the group consisting of halogen, C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkoxy, halogen- C_1 - C_6 -alkoxy, C_3 - C_6 -cycloalkyl- C_1 - C_6 -alkyl, cyano- C_1 - C_6 -alkyl, C_3 - C_6 -alkinyl, phenyl or benzyl;

the two R₅ independently of one another, are hydrogen or C₁-C₆-alkyl;

 R_{δ} is hydrogen, C_1 - C_{δ} -alkyl or benzyl;

 R_7 is halogen, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkoxy, C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl, C_1 - C_6 -alkyl) or -N(C_1 - C_6 -alkyl)₂;

 R_8 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_6 -cycloalkyl- C_1 - C_6 -alkyl, halogen- C_1 - C_6 -alkyl;

m is 0, 1, 2, 3, 4 or 5;

n is 0, 1, 2, 3, 4 or 5;

p is 0, 1 or 2;

q is 0 or 1

W is O or NH or N-C₁-C₆-alkyl;

and, if appropriate, the E/Z isomers, E/Z isomeric mixtures and/or tautomers thereof, each in free form or in salt form;

- 2. A compound of formula (I) according to claim 1, in free form.
- 3. A compound of formula (I) according to one of claims 1 or 2, wherein R_1 and R_2 , independently of each other, are halogen, C_1 - C_2 -alkyl, C_3 - C_6 -cycloalkyl, halogen- C_1 - C_2 -alkyl, C_1 - C_2 -alkoxy, halogen- C_1 - C_2 -alkoxy, -C(=O)N(CH₃)₂, -CN or -NO₂
- 4. A compound of formula (I) according to one of claims 1 to 3, in which R_3 is hydrogen, OH, halogen or C_1 - C_6 -alkoxy.

- 34 -

PCT/EP00/08566

- 5. A compound of formula (I) according to one of claims 1 to 4, wherein R_4 is C_1 - C_2 -Alkyl, halogen- C_1 - C_2 -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -cycloalkoxy, halogen- C_1 - C_2 -alkoxy, C_2 - C_4 -alkenyl, C_2 - C_4 -alkinyl, C_1 - C_2 -alkoxy, halogen- C_1 - C_2 -alkoxy, -C(=O)- $-C_3$ - $-C_6$ -alkyl, -C(=O)-halogen- $-C_1$ - $-C_2$ -alkyl, -C(=O)- $-C_1$ - $-C_2$ -alkyl, $-C_1$ - $-C_3$ -alkyl, $-C_1$ - $-C_3$ -alkyl, $-C_1$ - $-C_3$ -alkyl, $-C_1$ - $-C_3$ -alkoxy, $-C_3$ - $-C_3$ -cycloalkyl, $-C_1$ - $-C_3$ -alkyl, $-C_1$ - $-C_3$ -alkoxy, $-C_3$ - $-C_3$ -cycloalkoxy, $-C_3$ - $-C_3$ -cycloalkyl, $-C_1$ - $-C_3$ -alkoxy, $-C_3$ - $-C_3$ -cycloalkoxy, $-C_3$ - $-C_3$ -cycloalkyl, $-C_1$ - $-C_3$ -alkoxy, $-C_1$ - $-C_3$ -alkox
- 6. A pesticidal composition comprising at least one compound of formula (I) according to claim 1 as active ingredient, either in free form or in the form of an agrochemically acceptable salt, and at least one adjuvant.
- 7. Method of producing a composition as described in claim 6, in which the active ingredient is intimately mixed with the adjuvant(s).
- 8. A method for the control of pests in which a compound of formula (I) according to one of claims 1 to 4 as the active ingredient is applied, in free form or optionally in the form of an agrochemically acceptable salt, to pests or their habitat.
- 9. Use of a compound of formula (I) according to one of claims 1 to 4, in free form or optionally in the form of an agrochemically acceptable salt, in the preparation of a composition as described in claim 5.

INTERNATIONAL SEARCH REPORT

ernational Application No PCT/EP 00/08566

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C07D401/10 C07D211/70 C07D401/12 C07D401/06 A01N43/713

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC \ 7 \ CO7D \ A01N$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, WPI Data

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 485 107 A (KENNIS LUDO E J ET AL) 27 November 1984 (1984-11-27) column 25, line 28 - line 30	1-5
X	SATHE, DHANANJAY G. ET AL: "Synthesis of 3,5-lutidine by catalytic transfer hydrogenation via 1,2,5,6-tetrahydropyridine" INDIAN J. CHEM., SECT. B: ORG. CHEM. INCL. MED. CHEM. (1994), 33B(10), 986-7, XP000979489 Compound 1	1,2,4,5
X	WO 97 45423 A (TROPHIX PHARM INC) 4 December 1997 (1997-12-04) example 3	1,2,4,5

X Further documents are listed in the continuation of box C.	Palent family members are listed in annex.
Special categories of cited documents: A' document defining the general state of the art which is not considered to be of particular relevance E' earlier document but published on or after the international filling date L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O' document referring to an oral disclosure, use, exhibition or other means P' document published prior to the international filing date but	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
later than the priority date claimed Date of the actual completion of the international search	*&* document member of the same patent family Date of mailing of the international search report
5 February 2001	19/02/2001
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Diederen, J

2

INTERNATIONAL SEARCH REPORT

emational Application No
PCT/EP 00/08566

0 (04)	All I DOCUMENTS OF THE PROPERTY OF THE PROPERT	PCI/EP OC	0/ 00000
Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages		
Jatogory	Orazion of document, with indication, where appropriate, or the relevant passages		Relevant to claim No.
A	WO 94 07857 A (NISSAN CHEMICAL IND LTD; KAWAMURA YASUO (JP); OYA EIICHI (JP); ITO) 14 April 1994 (1994-04-14) abstract page 50 -page 52		1,6-9

INTERNATIONAL SEARCH REPORT

Information on patent family members

ernational Application No PCT/EP 00/08566

Patent document cited in search repor	t	Publication date	1	Patent family member(s)	Publication date
US 4485107	A	27-11-1984	AT	39695 T	15-01-1989
			AU	559176 B	26-02-1987
			AU	2083483 A	10-05-1984
			BG	51158 A	15-02-1993
			BG	60538 B	28-07-1995
			CA	1211438 A	16-09-1986
			CS	8307663 A	14-12-1984
			CY	1607 A	03-04-1992
			DE	3378825 D	03-04-1992
			DK		
			EP	498483 A	02-05-1984
				0110435 A	13-06-1984
			ES	526868 D	01-11-1985
			ES	8601965 A	01-03-1986
			FI	833995 A,B	, 02-05-1984
			FI	882445 A,B	
			GR	81277 A	11-12-1984
			HK	52691 A	19-07-1991
			IE	56180 B	08-05-1991
			IN	159576 A	30-05-1987
			KR	8700825 B	23-04-1987
			LV	5045 A	10-06-1993
			NO	833956 A,B	
			NZ	205993 A	11-06-1986
			PH	20483 A	16-01-1987
			PT	77493 A,B	01-11-1983
			RO	86698 A	17-04-1985
			SG	46791 G	26-07-1991
			SU	1313349 A	23-05-1987
			US	4533665 A	06-08-1985
			US	4581171 A	08-04-1986
			ZW	23283 A	22-05-1985
			JP	1790916 C	29-09-1993
			JP	4080913 B	21-12-1992
			JP	59104382 A	16-06-1984
			LT	2083 R	15-07-1993
			MX	174155 B	25-04-1994
			PL	244040 A	02-01-1985
			ZA	8308120 A	26-06-1985
WO 9745423	Α	04-12-1997	AU	3151097 A	05-01-1998
			EP	0918767 A	02-06-1999
WO 9407857	Α	14-04-1994	JP	6172306 A	21-06-1994
			AU	4834693 A	26-04-1994
			CN	1085218 A	13-04-1994

Form PCT/ISA/210 (patent family annex) (July 1992)

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 15 March 2001 (15.03.2001)

PCT

(10) International Publication Number WO 01/17964 A1

(51) International Patent Classification⁷: C07D 401/10, 211/70, 401/12, 401/06, A01N 43/713

(21) International Application Number: PCT/EP00/08566

(22) International Filing Date:

1 September 2000 (01.09.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

1607/99

3 September 1999 (03.09.1999) CH

(71) Applicant (for all designated States except US): SYN-GENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventor; and

- (75) Inventor/Applicant (for US only): TRAH, Stephan [DE/DE]; Andreas Hofer-Strasse 150a, 79111 Freiburg im Breisgau (DE).
- (74) Agent: WERNER, Bastian; Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,

DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (48) Date of publication of this corrected version:


12 April 2001

(15) Information about Correction:

see PCT Gazette No. 15/2001 of 12 April 2001, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TETRAHYDROPYRIDINES AS PESTICIDES



(57) Abstract: Compounds of formula (I) are described, wherein R₁ and R₂ are for example, independently of each other, halogen, C1-C6-alkyl, C3-C6-cycloalkyl, halogen-C₁-C₆-alkyl, halogen-C₃-C₆-cycloalkyl, C2-C4-alkenyl, C2-C4-alkinyl, halogen-C2-C4-alkenyl and halogen-C2-C4-alkinyl; R3 is hydrogen, OH, halogen, C_1 - C_6 -alkoxy, or -O-C(=O)- C_1 - C_6 -alkyl; R₄ is for example phenyl, benzyl, phenoxy or benzyloxy, which is substituted by substituents selected from the group consisting of halogen, cyano, NO2, C1-C6-alkyl, C3-C8-cycloalkyl, C3-C8-cyclalkyl-C₁-C₆-alkyl, halogen-C₁-C₆-alkyl, C₁-C₆-alkoxy, C₃-C₈-cycloalkoxy-C₁-C₆-alkyl, C₃-C₈-cycloalkoxy, C₃-C₈-cycloalkoxy-C₁-C₆-alkoxy, halogen-C₁-C₆-alkoxy,

 C_2 - C_4 -alkinyl, C_2 - C_4 -alkinyl, halogen- C_2 - C_4 -alkinyl, halogen- C_2 - C_4 -alkinyl, C_2 - C_6 -alkinyloxy, halogen- C_1 - C_6 -alkyl, henoxy, henoxy, heterocyclyl and heterocyclyoxy; the two R_5 independently of one another, are hydrogen or C_1 - C_6 -alkyl; R_6 is hydrogen, C_1 - C_6 -alkyl or benzyl; R_7 is for example halogen or C_1 - C_6 -alkyl; R_8 is for example hydrogen or C_1 - C_6 -alkyl; R_8 is for example hydrogen or C_1 - C_6 -alkyl; R_8 is R_8 is for example hydrogen or R_1 - R_2 - R_3 - R_4 - R_4 - R_5 - R_4 - R_5 -

WO 01/17964 A